



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

847

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/492,213	01/27/2000	Gerard J Gundling	6416.US.P1	9588
23492	7590	07/01/2004	EXAMINER	
STEVEN F. WEINSTOCK ABBOTT LABORATORIES 100 ABBOTT PARK ROAD DEPT. 377/AP6A ABBOTT PARK, IL 60064-6008				SISSON, BRADLEY L
ART UNIT		PAPER NUMBER		
		1634		
DATE MAILED: 07/01/2004				

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.	GUNDLING ET AL.	
09/492,213		
Examiner Bradley L. Sisson	Art Unit 1634	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).

Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) Responsive to communication(s) filed on 29 January 2004.

2a) This action is FINAL. 2b) This action is non-final.

3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) Claim(s) 17-27 is/are pending in the application.

4a) Of the above claim(s) _____ is/are withdrawn from consideration.

5) Claim(s) _____ is/are allowed.

6) Claim(s) 17-27 is/are rejected.

7) Claim(s) _____ is/are objected to.

8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) The specification is objected to by the Examiner.

10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).

11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
a) All b) Some * c) None of:
1. Certified copies of the priority documents have been received.
2. Certified copies of the priority documents have been received in Application No. _____.
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) Notice of References Cited (PTO-892)
2) Notice of Draftsperson's Patent Drawing Review, (PTO-948)
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____

4) Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____

5) Notice of Informal Patent Application (PTO-152)

6) Other: _____

DETAILED ACTION***Specification***

1. The specification is objected to as documents have been improperly incorporated by reference. In particular, the specification states that “all of these patents are assigned to the assignee of the present case, the disclosure of these patents are incorporated herein in their entirety” (page 9). Also, the specification states at page 37, that another patent “is incorporated herein in its entirety” (see page 37, lines 15-17). Such omnibus language fails to specify what specific information applicant seeks to incorporate by reference and similarly fails to teach with detailed particularity just where that specific information is to be found in each of the cited documents. As set forth in *Advanced Display Systems Inc. v. Kent State University* (Fed. Cir. 2000) 54 USPQ2d at 1679:

Incorporation by reference provides a method for integrating material from various documents into a host document--a patent or printed publication in an anticipation determination--by citing such material in a manner that makes it clear that the material is effectively part of the host document as if it were explicitly contained therein. *See General Elec. Co. v. Brenner*, 407 F.2d 1258, 1261-62, 159 USPQ 335, 337 (D.C. Cir. 1968); *In re Lund*, 376 F.2d 982, 989, 153 USPQ 625, 631 (CCPA 1967). **To incorporate material by reference, the host document must identify with detailed particularity what specific material it incorporates and clearly indicate where that material is found in the various documents.** *See In re Seversky*, 474 F.2d 671, 674, 177 USPQ 144, 146 (CCPA 1973) (providing that incorporation by reference requires a statement “clearly identifying the subject matter which is incorporated and where it is to be found”); *In re Saunders*, 444 F.2d 599, 602-02, 170 USPQ 213, 216-17 (CPA 1971) (reasoning that a rejection or anticipation is appropriate only if one reference “expressly incorporates a particular part” of another reference); *National Latex Prods. Co. v. Sun Rubber Co.*, 274 F.2d 224, 230, 123 USPQ 279, 283 (6th Cir. 1959) (requiring a specific reference to material in an earlier application in order to have that material considered a part of a later application); *cf. Lund*, 376 F.2d at 989, 153 USPQ at 631 (holding that a **one sentence reference to an abandoned application is not sufficient to incorporate from the abandoned application into a new application**). (Emphasis added.)

Accordingly, the cited documents are not considered to have been properly incorporated by reference and as such, have not been considered with any effect towards their fulfilling, either in part or in whole, the enablement, written description, or best mode requirements of 35 USC 112, first paragraph.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

3. Claims 17-27 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter, which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Attention is directed to the decision in *University of Rochester v. G.D. Searle & Co.* 68 USPQ2D 1424 (Fed. Cir. 2004) at 1428:

To satisfy the written-description requirement, the specification must describe every element of the claimed invention in sufficient detail so that one of ordinary skill in the art would recognize that the inventor possessed the claimed invention at the time of filing. *Vas-Cath*, 935 F.3d at 1563; see also *Lockwood v. American Airlines, Inc.*, 107 F.3d 1565, 1572 [41 USPQ2d 1961] (Fed. Cir. 1997) (patent specification must describe an invention and do so in sufficient detail that one skilled in the art can clearly conclude that “the inventor invented the claimed invention”); *In re Gosteli*, 872 F.2d 1008, 1012 [10 USPQ2d 1614] (Fed. Cir. 1989) (“the description must clearly allow persons of ordinary skill in the art to recognize that [the inventor] invented what is claimed”). Thus, an applicant complies with the written-description requirement “by describing the invention, with all its claimed limitations, not that which makes it obvious,” and by using “such descriptive means as words, structures, figures, diagrams, formulas, etc., that set forth the claimed invention.” *Lockwood*, 107 F.3d at 1572.

4. For convenience, claim 17, the only independent claim, is reproduced below.

17. (new) A nucleic acid analyzer for amplifying and determining a DNA or RNA, wherein

the analyzer has a container for holding a sample comprising nucleic acids and for amplifying a portion of the nucleic acids,

the container can be electrically connected to a first conductor and a second conductor,

the also has a circuit for applying a voltage across the first conductor and the second conductor.

5. For purposes of examination, the “analyzer” has been interpreted as allowing for performing any type of amplification on any sample, and to also provide for the detection of any and all properties of any DNA or RNA sample.

6. As seen above, the analyzer is comprised of but two elements: a container and a circuit. It is noted that the container need not be connected, even reversibly, to the circuit. A review of the specification fails to find an adequate written description of a container and a detached circuit that allows for amplification and determination of any property of any DNA or RNA, including heterogeneous mixtures.

It appears that applicant is attempting to satisfy the written description requirement of 35 USC 112, first paragraph, through obviousness. Obviousness, however, cannot be relied upon for satisfaction of the written description requirement. In support of this position, attention is directed to the decision in *University of California v. Eli Lilly and Co.* (Fed. Cir. 1997) 43 USPQ2d at 1405, citing *Lockwood v. American Airlines Inc.* (Fed. Cir. 1997) 41 USPQ2d at 1966:

Art Unit: 1634

Recently, we held that a description which renders obvious a claimed invention is not sufficient to satisfy the written description requirement of that invention.

7. In view of the broad scope of the claims and the limited written description provided, the specification has not been found to provide an adequate written description of a functional analyzer comprising but a container and a circuit.

Claims 17-27 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter, which was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. As set forth in *Enzo Biochem Inc., v. Calgene, Inc.* (CAFC, 1999) 52 USPQ2d at 1135, bridging to 1136:

To be enabling, the specification of a patent must teach those skilled in the art how to make and use the full scope of the claimed invention without 'undue experimentation.' " *Genentech, Inc. v. Novo Nordisk, A/S*, 108 F.3d 1361, 1365, 42 USPQ2d 1001, 1004 (Fed. Cir. 1997) (quoting *In re Wright*, 999 F.2d 1557, 1561, 27 USPQ2d 1510, 1513 (Fed. Cir. 1993)). Whether claims are sufficiently enabled by a disclosure in a specification is determined as of the date that the patent application was first filed, see *Hybritech, Inc. v. Monoclonal Antibodies, Inc.*, 802 F.2d 1367, 1384, 231 USPQ 81, 94 (Fed. Cir. 1986).... We have held that a patent specification complies with the statute even if a "reasonable" amount of routine experimentation is required in order to practice a claimed invention, but that such experimentation must not be "undue." See, e.g., *Wands*, 858 F.2d at 736-37, 8 USPQ2d at 1404 ("Enablement is not precluded by the necessity for some experimentation . . . However, experimentation needed to practice the invention must not be undue experimentation. The key word is 'undue,' not 'experimentation.' ") (footnotes, citations, and internal quotation marks omitted). In *In re Wands*, we set forth a number of factors which a court may consider in determining whether a disclosure would require undue experimentation. These factors were set forth as follows: (1) the quantity of experimentation necessary, (2) the amount of direction or guidance presented, (3) the presence or absence of working examples, (4) the nature of the invention, (5) the state of the prior art, (6) the relative skill of those in the art, (7) the predictability or unpredictability of the art, and (8) the breadth of the claims. *Id.* at 737, 8 USPQ2d at 1404. We have also noted that all of the factors need not be reviewed when determining whether a disclosure is enabling. See *Amgen, Inc. v. Chugai Pharm. Co.*,

Art Unit: 1634

Ltd., 927 F.2d 1200, 1213, 18 USPQ2d 1016, 1027 (Fed. Cir. 1991) (noting that the *Wands* factors "are illustrative, not mandatory. What is relevant depends on the facts.").

8. For purposes of examination, the claimed apparatus has been interpreted as allowing for the amplification (PCR, padlock, asymmetric, nested, nested with asymmetric, etc.) of any DNA or RNA as well as any subsequent determination of same, including but not limited to sequencing. The claimed apparatus has been interpreted as allowing for determining the nucleotide sequence of complete genomes of any and all life forms.

9. The claimed apparatus clearly would require the performance of hybridization as well as amplification. Such areas of technology are known to be problematic. In support of this position attention is directed to the following publications.

10. Zhang et al., *Bioinformatics*, Vol. 19, No. 1, 2003, page 14, states:

It is widely recognized that the hybridization process is prone to errors and that the future of DNA sequencing by hybridization is predicated on the ability to successfully cope with such errors. However, the occurrence of hybridization errors results in the computational difficulty of the reconstruction of DNA sequencing by hybridization. The reconstruction problem of DNA sequencing by hybridization with errors is a strongly NP-hard problem. So far the problem has not been solved well.

11. Chan (US Patent Application Publication US 2002/0119455 A1):

[0018] In practice, Probe Up methods have been used to generate sequences of about 100 base pairs. Imperfect hybridization has led to difficulties in generating adequate sequence. Error in hybridization is amplified many times. A 1% error rate reduces the maximum length that can be sequenced by at least 10%. Thus if 1% of 65,536 oligonucleotides gave false positive hybridization signals when hybridizing to a 200-mer DNA target, 75% of the scored "hybridizations" would be false (Bains, 1997). Sequence determination would be impossible in such an instance. The conclusion is that hybridization must be extremely effective in order to generate reasonable data. Furthermore, sequencing by hybridization also encounters problems when there are repeats in sequences that are one base less than the length of the probe. When such sequences are present, multiple possible sequences are compatible with the hybridization data. (Emphasis added.)

12. As set forth in Carrico, (US Patent 5,200,313) the extent and specificity of hybridization is affected by the following principal conditions:

- The purity of the nucleic acid preparation.
- Base compositions of the probe - G-C base pairs will exhibit greater thermal stability than A-T or A-U base pairs. Thus, hybridizations involving higher G-C content will be stable at higher temperatures.
- Length of homologous base sequences- any short sequence of bases (e.g., less than 6 bases), has a high degree of probability of being present in many nucleic acids. Thus, little or no specificity can be attained in hybridizations involving such short sequences. From a practical standpoint, a homologous probe sequence will often be between 300 and 1000 nucleotides.
- Ionic strength- the rate of reannealing increases as the ionic strength of the incubation solution increases. Thermal stability of hybrids also increases.
- Incubation temperature- Optimal reannealing occurs at a temperature about 25 - 30 °C below the melting temperature for a given duplex. Incubation at temperatures significantly below the optimum allows less related base sequences to hybridize.
- Nucleic acid concentration and incubation time- Normally, to drive the reaction towards hybridization, one of the hybridizable sample nucleic acid or probe nucleic acid will be present in excess, usually 100 fold excess or greater.
- Denaturing reagents- the presence of hydrogen bond-disrupting agents, such as formaldehyde and urea, increases the stringency of hybridization.
- Incubation- the longer the incubation time, the more complete will be the hybridization.

- Volume exclusion agents- the presence of these agents, as exemplified by dextran and dextran sulfate, are thought to increase the effective concentrations of the hybridizing elements thereby increasing the rate of resulting hybridizations.
- Further, subjecting the resultant hybridization product to repeated washes or rinses in heated solutions will remove non-hybridized probe. The use of solutions of decreasing ionic strength, and increasing temperature, e.g., 0.1X SSC for 30 minutes at 65 °C, will, with increasing effectiveness, remove non-fully complementary hybridization products.

13. In view of the breadth of scope claimed, the limited guidance provided, the unpredictable nature of the art to which the claimed invention is directed, and in the absence of convincing evidence to the contrary, the claims are deemed non-enabled by the disclosure.

14. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

15. Claims 17-27 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

16. Claim 17 is indefinite with respect to what about the DNA or RNA is to be determined.

Claim 17, penultimate line contains the phrase: “the also.” Claims 18-21, which depend from claim 17, fail to overcome these issues and are similarly rejected.

17. Claim 19 states that the first and second conductors are adjacent to the sample comprising nucleic acids. Claim 17, however, does not provide for a sample, but does provide for a container that is to be used to contain such a sample.

18. Claims 17-27 are rejected under 35 U.S.C. 112, second paragraph, as being incomplete for omitting essential structural cooperative relationships of elements, such omission amounting to a gap between the necessary structural connections. See MPEP § 2172.01. The omitted structural cooperative relationships are: that which exists between the container, the circuits, the first and second conductors, the transport system, the thermal regulation device, he adjustable voltage regulator, the polarity reversal relay, and the pipettor.

Claim Rejections - 35 USC § 102

19. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

20. Claims 17-27 are rejected under 35 U.S.C. 102(b) as being anticipated by a laboratory comprising a microfuge, eppendorf tubes, a HVAC system, a pipettor and a technician.

21. As presently worded, the circuitry in the microfuge, the eppendorf tubes used therein, meet the limitation of an apparatus comprising a container and a circuit. The HVAC system allows for temperature regulation and electrodes to sense and feedback electrical controls. The technician can provide for sample transport and operation of a pipettor. The speed control of the microfuge meets the limitation that the device comprise an adjustable voltage regulator, and the aspect that the motor of the microfuge would convert AC current to DC meets the limitation of a polarity reversal relay.

22. For the above reasons, and in the absence of convincing evidence to the contrary, claims 17-27 are anticipated by the prior art.

Conclusion

23. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

24. A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

25. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bradley L. Sisson whose telephone number is (571) 272-0751. The examiner can normally be reached on 6:30 a.m. to 5 p.m., Monday through Thursday.

26. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gary Benzion can be reached on (571) 272-0782. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

27. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Bradley L. Sisson
Primary Examiner
Art Unit 1634

BLS
27 June 2004